



# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010  
Issue date: 5/6/2024 Revision date: 5/6/2026 Version: 1.1

### SECTION 1: Identification

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Wash and go - Windscreen wash  
Type of product : Windscreen cleaner  
Product code : SH180, SH684  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

No additional information available

#### 1.3. Supplier's details

##### Manufacturer

Shield Chemicals (Pty) Ltd  
9 London Rd Apex  
P.O. Box 1939  
1501 Benoni – Gauteng  
South Africa  
T (011) 421 7111  
Contact: Jayson Clark

#### 1.4. Emergency telephone number

Emergency number : (011) 421 7111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to the United Nations GHS

Flammable liquids Not classified  
Skin corrosion/irritation, Category 3 H316  
Hazardous to the aquatic environment – Acute Hazard Not classified  
Hazardous to the aquatic environment – Chronic Hazard Not classified  
Full text of H-statements: see section 16

#### 2.2. Label elements

##### Labelling according to the United Nations GHS

Signal word (GHS ZA) : Warning  
Hazard statements (GHS ZA) : H316 - Causes mild skin irritation  
Precautionary statements (GHS ZA) : P332+P317 - If skin irritation occurs: Get medical help.

#### 2.3. Other hazards

Adverse physicochemical, human health and environmental effects : Causes mild skin irritation

### SECTION 3: Composition/information on ingredients

#### 3.1. Substance

Not applicable

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 3.2. Mixture

Name	Product identifier	%	Classification according to the United Nations GHS
2-Butoxyethanol	-	1.0 - 5.0	Flam. Liq. Not classified Acute Tox. 4 (Oral), H302 Acute Tox. Not classified (Dermal) Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute Not classified Aquatic Chronic Not classified
2-propanol	CAS-No.: 67-63-0 EC Index-No.: 603-117-00-0	1.0 - 5.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. Not classified Aquatic Acute Not classified Aquatic Chronic Not classified
1,2-propanediol	-	1.0 - 5.0	Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313
Alcohols, C10-16 ethoxylated, sulfates, sodium salts	-	0.216 – 0.232	Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Tetrasodium EDTA	CAS-No.: 64-02-8	0.1	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 STOT RE Not classified Aquatic Acute Not classified Aquatic Chronic Not classified
Alcohols, C10-14, ethoxylated, sulfates, sodium salts	CAS-No.: 68439-34-2	< 0.024	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Aquatic Acute 2, H401
sodium nitrate	CAS-No.: 7631-99-4	≤ 0.00125	Ox. Sol. 3, H272 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Eye Irrit. 2, H319 Aquatic Acute Not classified
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	≤ 0.00125	Acute Tox. 3 (Oral), H301 Acute Tox. 2 (Dermal), H310 Acute Tox. 2 (Inhalation), H330 Acute Tox. 2 (Inhalation:dust,mist), H330 Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410
Blue colour	-	0.00017	Skin Irrit. 2, H315

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice.  
First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
Self protection of the first-aider	: First-aiders should pay attention to their own protection and use the recommended personal protective equipment (see section 8).

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: None under normal conditions.
Symptoms/effects after skin contact	: Irritation.
Symptoms/effects after eye contact	: None under normal conditions.
Symptoms/effects after ingestion	: None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard	: No fire hazard.
Explosion hazard	: No direct explosion hazard.
Hazardous decomposition products in case of fire	: Toxic fumes may be released.

### 5.3. Advice for firefighters

Firefighting instructions	: Fight fire from safe distance and protected location. Do not enter fire area without proper protective equipment, including respiratory protection.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Stop leak if safe to do so. Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material damage.
------------------	---

#### 6.1.1. For non-emergency personnel

Protective equipment	: Wear recommended personal protective equipment.
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.

#### 6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment	: Absorb spilled material with sand or earth. Contain any spills with dikes or absorbents to prevent migration and entry into sewers or streams. Stop leak without risks if possible.
Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
- Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
- Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

#### 7.2. Conditions for safe storage, including any incompatibilities

- Technical measures : Keep in a cool, well-ventilated place away from heat.
- Storage conditions : Keep cool. Protect from sunlight.
- Packaging materials : Store always product in container of same material as original container.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

2-propanol (67-63-0)	
South Africa - Occupational Exposure Limits (Restricted Limits)	
Local name	Propan-2-ol (Isopropyl alcohol)
OEL eight hour TWA	500 ppm
	1225 mg/m <sup>3</sup>
RHCA - STEL/C	400 ppm
	960 mg/m <sup>3</sup> Isopropyl alcohol
	980 mg/m <sup>3</sup> Propan-2-ol
Remark	Sk
Regulatory reference	Government Notice. R: 1179
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Isopropyl alcohol (Propan-2-ol)
OEL TWA	980 mg/m <sup>3</sup>
	400 ppm
OEL STEL	1225 mg/m <sup>3</sup>
	500 ppm
Regulatory reference	Government Notice No. R 904

#### 8.2. Appropriate engineering controls

- Appropriate engineering controls : Ensure good ventilation of the work station.
- Environmental exposure controls : Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

##### Personal protective equipment:

Wear recommended personal protective equipment.

- Hand protection : Protective gloves
- Eye protection : Safety glasses
- Skin and body protection : Wear suitable protective clothing
- Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### Personal protective equipment symbol(s):



### 8.4. Exposure limit values for the other components

No additional information available

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid.
Colour	: Blue
Odour	: characteristic
Odour threshold	: No data available
pH	: $\geq 10.1 - \leq 10.85$
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: $> 100\text{ }^{\circ}\text{C}$
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: Non flammable
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### 1,2-propanediol

LD50 oral rat	20 g/kg
---------------	---------

#### 2-Butoxyethanol

LD50 oral rat	≈ 470 mg/kg
---------------	-------------

LD50 dermal rabbit	≈ 220 mg/kg
--------------------	-------------

#### 2-propanol (67-63-0)

LD50 oral rat	5840 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
---------------	---

LD50 dermal rabbit	16400 ml/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
--------------------	--

LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))
-----------------------------	---

#### sodium nitrate (7631-99-4)

LD50 oral rat	3430 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
---------------	--

LD50 dermal rat	> 5000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))
-----------------	--

#### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))
---------------	---

LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Dermal, 14 day(s))
-----------------	--

LC50 Inhalation - Rat	0.17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))
-----------------------	---

#### Alcohols, C10-14, ethoxylated, sulfates, sodium salts (68439-34-2)

LD50 oral rat	> 2 g/kg
---------------	----------

LD50 dermal rat	> 2 g/kg
-----------------	----------

Skin corrosion/irritation : Causes mild skin irritation.  
pH: ≥ 10.1 – ≤ 10.85

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Serious eye damage/irritation	: Not classified pH: $\geq 10.1 - \leq 10.85$
Respiratory or skin sensitization	: Not classified
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified

### 2-propanol (67-63-0)

STOT-single exposure	Not available
STOT-repeated exposure	: Not classified

### Tetrasodium EDTA (64-02-8)

LOAEC (inhalation, rat, dust/mist/fume, 90 days)	0.015 mg/l air Animal: rat, Animal sex: female, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study)
NOAEL (oral, rat, 90 days)	$\geq 500$ mg/kg bodyweight Animal: rat

Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not classified.
Hazardous to the aquatic environment, long-term (chronic)	: Not classified.

### Tetrasodium EDTA (64-02-8)

EC50 - Crustacea [1]	140 mg/l Test organisms (species): Daphnia magna
LOEC (chronic)	50 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	25 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC chronic fish	$\geq 25.7$ mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) Duration: '35 d'

### 2-Butoxyethanol

LC50 - Fish [1]	$\approx 2000$ g/l
-----------------	--------------------

### 2-propanol (67-63-0)

LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
BCF - Fish [1]	1015 (BCFBAF v3.01, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

### sodium nitrate (7631-99-4)

LC50 - Fish [1]	> 100 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	8609 mg/l (Equivalent or similar to OECD 202, 24 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
Partition coefficient n-octanol/water (Log Pow)	-3.8

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)</b>	
LC50 - Fish [1]	0.19 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)
ErC50 algae	19.9 µg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-0.32 – 0.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.81 – 1 (log Koc, Calculated value)

<b>Alcohols, C10-14, ethoxylated, sulfates, sodium salts (68439-34-2)</b>	
LC50 - Fish [1]	1 – 10 mg/l

### 12.2. Persistence and degradability

<b>Wash and go - Windscreen wash</b>	
Persistence and degradability	Rapidly degradable
<b>Tetrasodium EDTA (64-02-8)</b>	
Persistence and degradability	Rapidly degradable
<b>1,2-propanediol</b>	
Persistence and degradability	Rapidly degradable
<b>Alcohols, C10-16 ethoxylated, sulfates, sodium salts</b>	
Persistence and degradability	Rapidly degradable
<b>2-Butoxyethanol</b>	
Persistence and degradability	Rapidly degradable
<b>2-propanol (67-63-0)</b>	
Persistence and degradability	Biodegradable in the soil, Biodegradable in the soil under anaerobic conditions, Readily biodegradable in water.
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance
ThOD	2.4 g O <sub>2</sub> /g substance
<b>sodium nitrate (7631-99-4)</b>	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable
<b>reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)</b>	
Persistence and degradability	Not readily biodegradable in water.
<b>Blue colour</b>	
Persistence and degradability	Rapidly degradable

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

<b>Alcohols, C10-14, ethoxylated, sulfates, sodium salts (68439-34-2)</b>	
Persistence and degradability	Rapidly degradable
Biodegradation	> 95 %

### 12.3. Bioaccumulative potential

<b>Wash and go - Windscreen wash</b>	
Bioaccumulative potential	No additional information available

<b>2-propanol (67-63-0)</b>	
BCF - Fish [1]	1015 (BCFBAF v3.01, Estimated value)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

<b>sodium nitrate (7631-99-4)</b>	
Partition coefficient n-octanol/water (Log Pow)	-3.8
Bioaccumulative potential	Not bioaccumulative.

<b>reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)</b>	
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-0.32 – 0.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.81 – 1 (log Koc, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

<b>Alcohols, C10-14, ethoxylated, sulfates, sodium salts (68439-34-2)</b>	
Bioaccumulative potential	Not bioaccumulative.

### 12.4. Mobility in soil

<b>Wash and go - Windscreen wash</b>	
Mobility in soil	No additional information available

<b>2-propanol (67-63-0)</b>	
Surface tension	No data available (test not performed)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Highly mobile in soil.

<b>sodium nitrate (7631-99-4)</b>	
Partition coefficient n-octanol/water (Log Pow)	-3.8
Ecology - soil	No (test)data on mobility of the substance available.

<b>reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)</b>	
Surface tension	No data available in the literature
Partition coefficient n-octanol/water (Log Pow)	-0.32 – 0.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (55965-84-9)

Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.81 – 1 (log Koc, Calculated value)
Ecology - soil	Highly mobile in soil.

### 12.5. Other adverse effects

Ozone	: Not classified
Other adverse effects	: No additional information available

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Regional waste regulation	: Disposal must be done according to official regulations.
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Disposal must be done according to official regulations.
Ecological waste information	: The waste of the product should be considered as hazardous as the product itself, with the likelihood of impacting the environment in the same way. Consider the handling and disposal of the waste as defined by the product itself.
Additional information	: Do not re-use empty containers.

## SECTION 14: Transport information

In accordance with SANS / UN RTDG / IMDG / IATA

SANS	IMDG	IATA
<b>14.1. UN number</b>		
Not regulated	Not regulated	Not regulated
<b>14.2. Proper Shipping Name</b>		
Not regulated	Not regulated	Not regulated
<b>14.3. Transport hazard class(es)</b>		
Not regulated	Not regulated	Not regulated
<b>14.4. Packing group</b>		
Not regulated	Not regulated	Not regulated
<b>14.5. Environmental hazards</b>		
Not regulated	Not regulated	Not regulated
No supplementary information available		

### 14.6. Special precautions for user

#### SANS

Not regulated

#### IMDG

Not regulated

#### IATA

Not regulated

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# Wash and go - Windscreen wash

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### SECTION 15: Regulatory information

#### 15.1. National regulations

##### 15.1.1. OCCUPATIONAL HEALTH AND SAFETY ACT, 1993

###### Prohibited Hazardous Chemical Agents

Not regulated

##### 15.1.2. National Environmental Management Act, 1998

###### Regulation No. 51358 (Prior Informed Consent Procedure Regulations, 2024)

Not regulated

#### 15.2. Safety, health, and environmental national regulations specific for the product

No additional information available

### SECTION 16: Other information

Issue date : 5/6/2024  
Revision date : 5/6/2026

#### Full text of H-statements

H225	Highly flammable liquid and vapour
H272	May intensify fire; oxidiser
H301	Toxic if swallowed
H302	Harmful if swallowed
H303	May be harmful if swallowed
H310	Fatal in contact with skin
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H315	Causes skin irritation
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H332	Harmful if inhaled
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.