



Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010
Issue date: 5/31/2024 Revision date: 5/31/2026 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture
Trade name : Fresh 24 clip on - Ocean drive
Type of product : Vehicle interior air freshener
Product code : SH1135
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture :

1.3. Supplier's details

Manufacturer

Shield Chemicals (Pty) Ltd
9 London Rd Apex
P.O. Box 1939
1501 Benoni – Gauteng
South Africa
T (011) 421 7111
Contact: Jayson Clark

1.4. Emergency telephone number

Emergency number : (011) 421 7111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids Not classified
Skin corrosion/irritation Not classified
Serious eye damage/eye irritation Not classified
Skin sensitisation, Category 1 H317
Specific target organ toxicity (single exposure) Not classified
Hazardous to the aquatic environment – Acute Hazard Not classified
Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412
Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS-ZA) : Warning
Hazardous ingredients : (+)-limonene, (Z)-citral, linalool
Hazard statements (GHS ZA) : H317 - May cause an allergic skin reaction
H412 - Harmful to aquatic life with long lasting effects
Precautionary statements (GHS ZA) : P261 - Avoid breathing vapours.
P272 - Contaminated work clothing should not be allowed out of the workplace.
P273 - Avoid release to the environment.
P280 - Wear eye protection, protective clothing, protective gloves.
P302+P352 - IF ON SKIN: Wash with plenty of soap and water
P321 - Specific treatment (see ... on this label).

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P333+P317 - If skin irritation or rash occurs: Get medical help.
P362+P364 - Take off contaminated clothing and wash it before reuse.
P501 - Dispose of contents and container to a hazardous or special waste collection point.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects : May cause an allergic skin reaction, Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Isoparaffin	-	35.0 - 70.0	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
2-tert-butylcyclohexanol acetate	CAS-No.: 88-41-5	2.0 - 8.0	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal)
(+)-limonene	CAS-No.: 5989-27-5	2.0 - 8.0	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Ethyl 2-methyl-1,3-dioxolane-2-acetate	CAS-No.: 6413-10-1	2.0 - 8.0	Flam. Liq. 4, H227 STOT RE Not classified Aquatic Acute Not classified
3a,4,5,6,7,7a-hexahydro-4,7-methaoinden-6-yl acetate	CAS-No.: 5413-60-5	0.0 - 5.0	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 STOT RE Not classified Aquatic Acute 3, H402
a,a-dimethylphenethyl acetate	-	0.0 - 5.0	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute Not classified Aquatic Chronic 3, H412
Allyl heptanoate	CAS-No.: 142-19-8	0.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Aquatic Acute 1, H400
linalool	CAS-No.: 78-70-6	0.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. Not classified (Dermal) Skin Sens. 1B, H317

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
-------------------------------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

5.3. Advice for firefighters

Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.
--------------------------------	--

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing vapours.
----------------------	---

6.1.2. For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
----------------------	---

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	: Take up liquid spill into absorbent material.
Other information	: Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing vapours. Wear personal protective equipment.
Hygiene measures	: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions	: Store in a well-ventilated place. Keep cool.
--------------------	--

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses
Skin and body protection : Wear suitable protective clothing
Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid
Appearance : Liquid.
Colour : No data available
Odour : No data available
Odour threshold : No data available
pH : No data available
pH solution : No data available
Relative evaporation rate (butylacetate=1) : No data available
Relative evaporation rate (ether=1) : No data available
Melting point : Not applicable
Freezing point : No data available
Boiling point : No data available
Flash point : $\approx 73.2\text{ }^{\circ}\text{C}$
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : Not applicable
Vapour pressure : No data available
Vapour pressure at 50°C : No data available
Relative vapour density at 20°C : No data available
Relative density : No data available
Relative density of saturated gas/air mixture : No data available
Density : No data available
Relative gas density : No data available
Solubility : Insoluble in water.
Partition coefficient n-octanol/water (Log Pow) : No data available
Partition coefficient n-octanol/water (Log Kow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Lower explosion limit : No data available
Upper explosion limit : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-tert-butylcyclohexanol acetate (88-41-5)	
LD50 oral rat	4600 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal)
(+)-limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral)
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal)
3a,4,5,6,7,7a-hexahydro-4,7-methaoiden-6-yl acetate (5413-60-5)	
LD50 oral rat	5000 mg/kg bodyweight Animal: rat, Animal sex: female, Guideline: OECD Guideline 423 (Acute Oral toxicity - Acute Toxic Class Method)
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Allyl heptanoate (142-19-8)	
LD50 dermal rabbit	810 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 440 - 1180

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

linalool (78-70-6)	
LD50 oral rat	2790 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 oral	≈ 2790 mg/kg
LD50 dermal rabbit	5610 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))

Skin corrosion/irritation	: Not classified.
Serious eye damage/irritation	: Not classified.
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified.

Isoparaffin	
STOT-single exposure	Not available

STOT-repeated exposure : Not classified

Ethyl 2-methyl-1,3,dioxolane-2-acetate (6413-10-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)

3a,4,5,6,7,7a-hexahydro-4,7-methaoiden-6-yl acetate (5413-60-5)	
LOAEL (oral, rat, 90 days)	1182.033 mg/kg bodyweight Animal: rat, Guideline: other:

Aspiration hazard : Not classified

Isoparaffin	
Animal studies and expert judgment for classification	False

2-tert-butylcyclohexanol acetate (88-41-5)	
Animal studies and expert judgment for classification	False

(+)-limonene (5989-27-5)	
Animal studies and expert judgment for classification	False

Ethyl 2-methyl-1,3,dioxolane-2-acetate (6413-10-1)	
Animal studies and expert judgment for classification	False

3a,4,5,6,7,7a-hexahydro-4,7-methaoiden-6-yl acetate (5413-60-5)	
Animal studies and expert judgment for classification	False

a,a-dimethylphenethyl acetate	
Animal studies and expert judgment for classification	False

Allyl heptanoate (142-19-8)	
Animal studies and expert judgment for classification	False

linalool (78-70-6)	
Animal studies and expert judgment for classification	False

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Hazardous to the aquatic environment, short-term (acute) : Not classified.

Hazardous to the aquatic environment, long-term (chronic) : Harmful to aquatic life with long lasting effects.

2-tert-butylcyclohexanol acetate (88-41-5)	
BCF - Fish [1]	384.6 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
(+)-limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Ethyl 2-methyl-1,3,dioxolane-2-acetate (6413-10-1)	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 72h - Algae [1]	> 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
3a,4,5,6,7,7a-hexahydro-4,7-methaoiden-6-yl acetate (5413-60-5)	
LC50 - Fish [1]	18.04851 mg/l Test organisms (species): Carassius auratus
LC50 - Fish [2]	16.62311 mg/l Test organisms (species): Lepomis macrochirus
EC50 - Crustacea [1]	53.80956 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	13.07479 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
a,a-dimethylphenethyl acetate	
LC50 - Fish [1]	≈ 8.901 mg/l
Allyl heptanoate (142-19-8)	
LC50 - Fish [1]	0.117 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	0.13 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.89 mg/l Test organisms (species): Daphnia magna
linalool (78-70-6)	
LC50 - Fish [1]	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.2. Persistence and degradability

Fresh 24 clip on - Ocean drive	
Persistence and degradability	No additional information available
2-tert-butylcyclohexanol acetate (88-41-5)	
Persistence and degradability	Not readily biodegradable in water.
(+)-limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance
linalool (78-70-6)	
Persistence and degradability	Readily biodegradable in water.

12.3. Bioaccumulative potential

Fresh 24 clip on - Ocean drive	
Bioaccumulative potential	No additional information available
2-tert-butylcyclohexanol acetate (88-41-5)	
BCF - Fish [1]	384.6 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
(+)-limonene (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).
linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Fresh 24 clip on - Ocean drive	
Mobility in soil	No additional information available
2-tert-butylcyclohexanol acetate (88-41-5)	
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
(+)-limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Ecology - soil	Low potential for mobility in soil.
linalool (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

linalool (78-70-6)	
Partition coefficient n-octanol/water (Log Pow)	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone : Not classified
Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		

14.6. Special precautions for user

SANS

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

Fresh 24 clip on - Ocean drive

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 16: Other information

Issue date : 31/05/2024
Revision date : 31/05/2026

Full text of H-statements	
H226	Flammable liquid and vapour
H227	Combustible liquid
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H336	May cause drowsiness or dizziness
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.