

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 5/31/2024 Revision date: 5/31/2026 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form Trade name Type of product Product code Product group MixtureFresh 24 gel - LavenderAir freshener

: SH917

: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

:

Use of the substance/mixture

1.3. Supplier's details

Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark

1.4. Emergency telephone number

Emergency number

: (011) 421 7111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Skin sensitisation Not classified

Carcinogenicity Not classified

Hazardous to the aquatic environment - Chronic Hazard Not classified

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

No labelling applicable

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

3.2. Mixtures			
Name	Product identifier	%	Classification according to the United Nations GHS
linalyl acetate	CAS-No.: 115-95-7	1.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Aquatic Acute 3, H402
ethanol	CAS-No.: 64-17-5	1.0 - 5.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Asp. Tox. 2, H305 Aquatic Acute Not classified

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	 Remove person to fresh air and keep comfortable for breathing. Wash skin with plenty of water. Rinse eyes with water as a precaution. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and effects,	both acute and delayed
No additional information available	
4.3. Indication of any immediate medical at	tention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures		
6.1. Personal precautions, protective eq	uipment and emergency procedures	
No additional information available		
6.1.1. For non-emergency personnel		
Emergency procedures	: Ventilate spillage area.	
6.1.2. For emergency responders		
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".	
6.2. Environmental precautions		

Avoid release to the environment.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Other information

- : Mechanically recover the product.
- : Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	 Ensure good ventilation of the work station. Wear personal protective equipment. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, includ	ling any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

ethanol (64-17-5)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Ethanol (Ethyl alcohol)
OEL TWA	1900 mg/m³
OEL TWA	1000 ppm
Regulatory reference	Government Notice No. R 904

8.2. Appropriate engineering controls

Appropriate engineering controls Environmental exposure controls : Ensure good ventilation of the work station.: Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Eye protection Skin and body protection Respiratory protection

- : Protective gloves
- : Safety glasses
- : Wear suitable protective clothing
- : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties		
9.1. Information on basic phy	sical and chemical properties	
Physical state	: Solid	
Appearance	: Solid.	
Colour	: Purple.	
Odour	: Lavender.	
Odour threshold	: No data available	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicologic	cal effects	
Acute toxicity (oral) Acute toxicity (dermal)	: Not classified : Not classified	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Acute toxicity (inhalation) :	Not classified
linalyl acetate (115-95-7)	
LD50 oral rat	> 9000 mg/kg bodyweight (BASF test, Rat, Male / female, Experimental value, Oral, 7 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Rabbit, Experimental value, Dermal, 14 day(s))
ethanol (64-17-5)	
LD50 oral rat	10740 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 Inhalation - Rat	117 – 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation)
Skin corrosion/irritation :	Not classified
Serious eye damage/irritation :	Not classified
Respiratory or skin sensitisation :	Not classified.
Germ cell mutagenicity :	Not classified
Carcinogenicity :	Not classified.
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified
Fresh 24 gel - Lavender	
Viscosity, kinematic	Not applicable
linalyl acetate (115-95-7)	
Animal studies and expert judgment for classification	False
ethanol (64-17-5)	·
Animal studies and expert judgment for classification	False

SECTION 12: Ecological information

12.1. Toxicity

(acute)	Harmful to aquatic life with long lasting effects. Not classified Not classified.
linalyl acetate (115-95-7)	
LC50 - Fish [1]	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio, Flow-through system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 algae	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
BCF - Fish [1]	173.9 l/kg (BCFBAF v3.00, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.71 (log Koc, PCKOCWIN v1.66, Calculated value)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

ethanol (64-17-5)	
LC50 - Fish [1]	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, Chlorella vulgaris, Static system, Fresh water, Experimental value, Growth rate)
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)

12.2. Persistence and degradability

Fresh 24 gel - Lavender		
ersistence and degradability No additional information available		
linalyl acetate (115-95-7)		
Persistence and degradability Readily biodegradable in water.		
ethanol (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O ₂ /g substance	
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance	
ThOD	2.1 g O ₂ /g substance	
BOD (% of ThOD)	0.43	

12.3. Bioaccumulative potential

Fresh 24 gel - Lavender Bioaccumulative potential No additional information available linalyl acetate (115-95-7) BCF - Fish [1] 173.9 l/kg (BCFBAF v3.00, Calculated value, Fresh weight) Partition coefficient n-octanol/water (Log Pow) 3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 25 °C) Organic Carbon Normalized Adsorption Coefficient 2.71 (log Koc, PCKOCWIN v1.66, Calculated value) (Log Koc) Bioaccumulative potential Low potential for bioaccumulation (BCF < 500). ethanol (64-17-5) BCF - Fish [1] 1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across) Partition coefficient n-octanol/water (Log Pow) -0.31 (Experimental value) Bioaccumulative potential Not bioaccumulative.

12.4. Mobility in soil

Fresh 24 gel - Lavender		
Mobility in soil No additional information available		
linalyl acetate (115-95-7)		
Partition coefficient n-octanol/water (Log Pow)	3.9 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flash Method, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.71 (log Koc, PCKOCWIN v1.66, Calculated value)	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

linalyl acetate (115-95-7)		
Ecology - soil	Low potential for adsorption in soil.	
ethanol (64-17-5)		
Surface tension 0.022 N/m (20 °C)		
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)	
Ecology - soil	Highly mobile in soil.	
12.5. Other adverse effects		

Ozone Other adverse effects : Not classified

: No additional information available

SECTION 13: Disposal consid	lerations
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	ΙΑΤΑ
14.1. UN number		
3077	3077	3077
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	Environmentally hazardous substance, solid n.o.s.
14.3. Transport hazard class(es)		<u>.</u>
9	9	9
	•	
14.4. Packing group		-
III	III	
14.5. Environmental hazards		1
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available	·	

14.6. Special precautions for user

CANC

SANS	
Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 kg
Limited quantities (SANS)	: 5 kg
Packagings, large packagings and IBCs Packing	: P002, IBC08, LP02
instructions (SANS)	
Packagings, large packagings and IBCs Special	: PP12, B3
packing instructions (SANS)	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Portable tank and bulk containers instructions (SANS)	: T1, BK2
Portable tank and bulk container special provisions (SANS)	: TP33
IMDG	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP02, P002
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: BK1, BK2, BK3, T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23
ΙΑΤΑ	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provisions (IATA)	: A97, A158, A179, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other inform	ation	
Issue date Revision date	: 31/05/2024 : 31/05/2026	

Full text of H-statements	
H225	Highly flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed
H303	May be harmful if swallowed
H305	May be harmful if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of H-statements	
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H373	May cause damage to organs through prolonged or repeated exposure
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.