

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 5/31/2024 Revision date: 5/31/2026 Version: 1.1

# **SECTION 1: Identification**

#### **1.1. Product identifier**

Product form Trade name Type of product Product code Product group : Mixture : Fresh 24 gel - Tropical

- : Air freshener
- : SH916
- : Trade product

#### **1.2.** Relevant identified uses of the substance or mixture and uses advised against

#### Use of the substance/mixture

#### 1.3. Supplier's details

#### Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark

#### 1.4. Emergency telephone number

Emergency number

: (011) 421 7111

SECTION 2: Hazards identification		
2.1. Classification of the substance or mixtu	ure	
Classification according to the United Nations GH Skin sensitisation Not classified Carcinogenicity Not classified Hazardous to the aquatic environment – Acute Hazar Hazardous to the aquatic environment – Chronic Haz Full text of H-statements: see section 16	rd Not classified	
2.2. Label elements		
Labelling according to the United Nations GHS Signal word (GHS-ZA) Hazard statements (GHS ZA) Precautionary statements (GHS ZA)	<ul> <li>-</li> <li>H412 - Harmful to aquatic life with long lasting effects</li> <li>P273 - Avoid release to the environment.</li> <li>P501 - Dispose of contents and container to a hazardous or special waste collection point.</li> </ul>	
2.3. Other hazards		
Adverse physicochemical, human health and environmental effects	: Harmful to aquatic life with long lasting effects.	

# **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

3.2. Mixtures			
Name	Product identifier	%	Classification according to the United Nations GHS
ethanol	CAS-No.: 64-17-5	1.0 - 5.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Asp. Tox. 2, H305 Aquatic Acute Not classified

I.1. Description of first aid measures	
First-aid measures after inhalation First-aid measures after skin contact First-aid measures after eye contact First-aid measures after ingestion	<ul> <li>Remove person to fresh air and keep comfortable for breathing.</li> <li>Wash skin with plenty of water.</li> <li>Rinse eyes with water as a precaution.</li> <li>Call a poison center or a doctor if you feel unwell.</li> </ul>
4.2. Most important symptoms and effects	, both acute and delayed
No additional information available	
4.3. Indication of any immediate medical a	ttention and special treatment needed
Treat symptomatically.	
Treat symptomatically.	
Treat symptomatically. SECTION 5: Firefighting measures 5.1. Extinguishing media	
SECTION 5: Firefighting measures	: Water spray. Dry powder. Foam.
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media	
SECTION 5: Firefighting measures 5.1. Extinguishing media	
SECTION 5: Firefighting measures 5.1. Extinguishing media Suitable extinguishing media 5.2. Special hazards arising from the subs	tance or mixture

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective e	equipment and emergency procedures		
No additional information available			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containing	nent and cleaning up		
Methods for cleaning up Other information	<ul><li>Mechanically recover the product.</li><li>Dispose of materials or solid residues at an authorized site.</li></ul>		

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 7: Handling and storage	;
7.1. Precautions for safe handling	
Precautions for safe handling Hygiene measures	<ul> <li>Ensure good ventilation of the work station. Wear personal protective equipment.</li> <li>Do not eat, drink or smoke when using this product. Always wash hands after handling the product.</li> </ul>
7.2. Conditions for safe storage, inclu	ding any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

ethanol (64-17-5)	
South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Ethanol (Ethyl alcohol)
OEL TWA	1900 mg/m <sup>3</sup>
OEL TWA	1000 ppm
Regulatory reference Government Notice No. R 904	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls
Environmental exposure controls

Ensure good ventilation of the work station.Avoid release to the environment.

#### 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection Eye protection Skin and body protection Respiratory protection

- : Protective gloves
- : Safety glasses
- Wear suitable protective clothing
   In case of insufficient ventilation, wear suitable respiratory equipment

# Personal protective equipment symbol(s):



#### 8.4. Exposure limit values for the other components

No additional information available

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical an	d chemical properties
Physical state	: Solid
Appearance	: Solid.
Colour	: orange.
Odour	: Tropical.
Odour threshold	: No data available
рН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### **10.2. Chemical stability**

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

**10.4. Conditions to avoid** 

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information		
11.1. Information on toxicologica	al effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>	
ethanol (64-17-5)		
LD50 oral rat	10740 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Oral)	

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

ethanol (64-17-5)		
LD50 dermal rabbit		> 16000 mg/kg (Rabbit, Literature study, Dermal)
LC50 Inhalation - Rat		117 – 125 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value, Inhalation)
Skin corrosion/irritation	:	Not classified
Serious eye damage/irritation	:	Not classified
Respiratory or skin sensitisation	:	Not classified.
Germ cell mutagenicity	:	Not classified
Carcinogenicity	:	Not classified.
Reproductive toxicity	:	Not classified
STOT-single exposure	:	Not classified
STOT-repeated exposure	:	Not classified
Aspiration hazard	:	Not classified
Fresh 24 gel - Tropical		
Viscosity, kinematic		Not applicable
ethanol (64-17-5)		
Animal studies and expert judgment for cl	assification	False

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term : (acute)	Harmful to aquatic life with long lasting effects. Not classified. Harmful to aquatic life with long lasting effects.
ethanol (64-17-5)	
LC50 - Fish [1]	14200 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value)
EC50 72h - Algae [1]	275 mg/l (Equivalent or similar to OECD 201, Chlorella vulgaris, Static system, Fresh water, Experimental value, Growth rate)
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)

### 12.2. Persistence and degradability

Fresh 24 gel - Tropical		
Persistence and degradability	ersistence and degradability No additional information available	
ethanol (64-17-5)		
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	0.8 - 0.967 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance	
ThOD	2.1 g O <sub>2</sub> /g substance	
BOD (% of ThOD)	0.43	

12.3. Bioaccumulative potential	
Fresh 24 gel - Tropical	
Bioaccumulative potential	No additional information available

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

ethanol (64-17-5)	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.
12.4. Mobility in soil	
Fresh 24 gel - Tropical	
Mobility in soil	No additional information available
ethanol (64-17-5)	
Surface tension	0.022 N/m (20 °C)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Ecology - soil	Highly mobile in soil.
12.5. Other adverse effects	
Ozone	: Not classified

Other adverse effects

: No additional information available

# **SECTION 13: Disposal considerations**

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

#### **SECTION 14: Transport information** In accordance with SANS / IMDG / IATA **SANS** IMDG ΙΑΤΑ 14.1. UN number 3077 3077 3077 14.2. Proper Shipping Name Environmentally hazardous substance, solid, ENVIRONMENTALLY HAZARDOUS ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. SUBSTANCE, SOLID, N.O.S. n.o.s. 14.3. Transport hazard class(es) 9 9 9 14.4. Packing group Ш Ш Ш 14.5. Environmental hazards Dangerous for the environment : No Dangerous for the environment : No Dangerous for the environment : No Marine pollutant : No No supplementary information available

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### 14.6. Special precautions for user

C	Α.	N.I	C
3	А	IN	Э.

SANS	
Special provisions (SANS)	: 179, 274, 331, 335
Limited quantities (SANS)	: 5 kg
Limited quantities (SANS)	: 5 kg
Packagings, large packagings and IBCs Packing	: P002, IBC08, LP02
instructions (SANS)	
Packagings, large packagings and IBCs Special	: PP12, B3
packing instructions (SANS)	
Portable tank and bulk containers instructions	: T1, BK2
(SANS)	
Portable tank and bulk container special provisions	: TP33
(SANS)	
IMDG	
Special provisions (IMDG)	: 274, 335, 966, 967, 969
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: LP02, P002
Special packing provisions (IMDG)	: PP12
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: BK1, BK2, BK3, T1
Tank special provisions (IMDG)	: TP33
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL FIRE SCHEDULE
EmS-No. (Spillage)	: S-F - SPILLAGE SCHEDULE Foxtrot - WATER-SOLUBLE MARINE POLLUTANTS
Stowage category (IMDG)	: A
Stowage and handling (IMDG)	: SW23
ΑΤΑ	
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y956
PCA limited quantity max net quantity (IATA)	: 30kgG
PCA packing instructions (IATA)	: 956
PCA max net quantity (IATA)	: 400kg
CAO packing instructions (IATA)	: 956
CAO max net quantity (IATA)	: 400kg
Special provisions (IATA)	: A97, A158, A179, A197
ERG code (IATA)	: 9L
	· •-

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other infor	mation	
Issue date	: 31/05/2024	
Revision date	: 31/05/2026	

Full text of H-statements	
H225	Highly flammable liquid and vapour
H227	Combustible liquid
H301	Toxic if swallowed

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of	H-statements
H303	May be harmful if swallowed
H305	May be harmful if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H330	Fatal if inhaled
H335	May cause respiratory irritation
H351	Suspected of causing cancer
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.