

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 1/22/2024 Revision date: 1/22/2026 Version: 1.1

# **SECTION 1: Identification**

#### 1.1. Product identifier

Product form : Mixture

Trade name : Waterless - Auto glass cleaner

Type of product : Windscreen cleaner

Product code : SH997
Product group : Trade product

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture :

# 1.3. Supplier's details

#### Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark

#### 1.4. Emergency telephone number

Emergency number : (011) 421 7111

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **Classification according to the United Nations GHS**

Flammable liquids Not classified

Skin corrosion/irritation, Category 3 H316

Full text of H-statements: see section 16

#### 2.2. Label elements

#### Labelling according to the United Nations GHS

Signal word (GHS-ZA) : Warning

Hazard statements (GHS ZA) : H316 - Causes mild skin irritation

Precautionary statements (GHS ZA) : P332+P317 - If skin irritation occurs: Get medical help.

#### 2.3. Other hazards

Adverse physicochemical, human health and

: Causes mild skin irritation

environmental effects

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
2-propanol	CAS-No.: 67-63-0	1.0 - 5.0	Flam. Liq. 2, H225 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. Not classified Aquatic Acute Not classified

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get

medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : Irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# 6.2. Environmental precautions

Avoid release to the environment.

1/22/2026 (Revision date) ZA - en 2/8

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear

personal protective equipment.

Hygiene measures : Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

2-propanol (67-63-0)		
South Africa - Occupational Exposure Limits (Airb	South Africa - Occupational Exposure Limits (Airborne Pollutants)	
Local name	Isopropyl alcohol (Propan-2-ol)	
OEL TWA	980 mg/m³	
OEL TWA	400 ppm	
OEL STEL	1225 mg/m³	
OEL STEL	500 ppm	
Regulatory reference	Government Notice No. R 904	

#### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station. Environmental exposure controls : Avoid release to the environment.

# 8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):







# 8.4. Exposure limit values for the other components

No additional information available

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

#### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Appearance : Liquid.

Colour : Blue.

Odour : characteristic.

Odour threshold : No data available pH : 9.5 – 11.5

Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

: > 100 °C Flash point Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability · Non flammable Vapour pressure : No data available Vapour pressure at 50°C : No data available Relative vapour density at 20°C : No data available Relative density : No data available Relative density of saturated gas/air mixture : No data available Density : No data available Relative gas density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Partition coefficient n-octanol/water (Log Kow) : No data available Viscosity, kinematic : No data available : No data available Viscosity, dynamic

Lower explosion limit
Upper explosion limit

#### 9.2. Other information

Explosive properties

Oxidising properties

**Explosive limits** 

No additional information available

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

#### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

: No data available

: No data available: No data available

: No data available

: No data available

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

# **SECTION 11: Toxicological information**

11.1.	Informa	tion on	toxico	logical	effects
-------	---------	---------	--------	---------	---------

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-propanol (67-63-0)	
LD50 oral rat	5840 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	16400 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat [ppm]	> 10000 ppm (Equivalent or similar to OECD 403, 6 h, Rat, Male / female, Experimental value, Inhalation (vapours), 14 day(s))

Skin corrosion/irritation : Causes mild skin irritation.

pH: 9.5 – 11.5 : Not classified pH: 9.5 – 11.5

Respiratory or skin sensitisation : Not classified
Germ cell mutagenicity : Not classified
Carcinogenicity : Not classified
Reproductive toxicity : Not classified
STOT-single exposure : Not classified

2-propanol (67-63-0)

Serious eye damage/irritation

STOT-single exposure Not available

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Waterless - Auto glass cleaner

Vaporizer Container fitted with a sealed spray attachment

2-propanol (67-63-0)

Animal studies and expert judgment for classification False

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short–term

(acute)

: Not classified

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

2-propanol (67-63-0)	
LC50 - Fish [1]	9640 – 10000 mg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flowthrough system, Fresh water, Experimental value, Lethal)
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)

1/22/2026 (Revision date) ZA - en 5/8

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

# 12.2. Persistence and degradability

Waterless - Auto glass cleaner		
Persistence and degradability	No additional information available	
2-propanol (67-63-0)		
Persistence and degradability	Biodegradable in the soil. Biodegradable in the soil under anaerobic conditions. Readily biodegradable in water.	
Biochemical oxygen demand (BOD)	1.19 g O <sub>2</sub> /g substance	
Chemical oxygen demand (COD)	2.23 g O <sub>2</sub> /g substance	
ThOD	2.4 g O <sub>2</sub> /g substance	

# 12.3. Bioaccumulative potential

Waterless - Auto glass cleaner		
Bioaccumulative potential	No additional information available	
2-propanol (67-63-0)		
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

#### 12.4. Mobility in soil

Waterless - Auto glass cleaner		
Mobility in soil	No additional information available	
2-propanol (67-63-0)		
Surface tension	0.021 N/m (25 °C)	
Partition coefficient n-octanol/water (Log Pow)	0.05 (Weight of evidence approach, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.185 – 0.541 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Highly mobile in soil.	

#### 12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
Not regulated for transport		

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	IATA
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available	1	1

#### 14.6. Special precautions for user

#### SANS

No data available

#### **IMDG**

No data available

#### **IATA**

No data available

# 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

# **SECTION 16: Other information**

 Issue date
 : 22/01/2024

 Revision date
 : 22/01/2026

Full text of	Full text of H-statements		
H225	Highly flammable liquid and vapour		
H301	Toxic if swallowed		
H302	Harmful if swallowed		
H303	May be harmful if swallowed		
H311	Toxic in contact with skin		
H313	May be harmful in contact with skin		
H314	Causes severe skin burns and eye damage		
H315	Causes skin irritation		
H316	Causes mild skin irritation		
H317	May cause an allergic skin reaction		

# Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Full text of	Full text of H-statements		
H318	Causes serious eye damage		
H319	Causes serious eye irritation		
H330	Fatal if inhaled		
H332	Harmful if inhaled		
H336	May cause drowsiness or dizziness		
H400	Very toxic to aquatic life		
H401	Toxic to aquatic life		
H410	Very toxic to aquatic life with long lasting effects		
H412	Harmful to aquatic life with long lasting effects		

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.