

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 5/31/2024 Revision date: 5/31/2026 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form : Mixture

Trade name : Fresh 24 clip on - Vanilla
Type of product : Vehicle interior air freshener

Product code : SH1135
Product group : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Recommended uses and restrictions : Air care products

1.3. Supplier's details

Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111

Contact: Jayson Clark

1.4. Emergency telephone number

Emergency number : (011) 421 7111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to the United Nations GHS

Flammable liquids Not classified

Acute toxicity (oral) Not classified

Skin corrosion/irritation Not classified

Serious eye damage/eye irritation Not classified

Skin sensitisation, Category 1 H317

Specific target organ toxicity (single exposure) Not classified

Hazardous to the aquatic environment - Acute Hazard Not classified

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H-statements: see section 16

2.2. Label elements

Labelling according to the United Nations GHS

Hazard pictograms (GHS ZA) :



Signal word (GHS-ZA) : Warning

Hazardous ingredients : 4-tert-butylcyclohexyl acetate

Hazard statements (GHS ZA) : H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

Precautionary statements (GHS ZA) : P261 - Avoid breathing vapours.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear eye protection, protective clothing, protective gloves.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

P302+P352 - IF ON SKIN: Wash with plenty of soap and water

P321 - Specific treatment (see ... on this label).

P333+P317 - If skin irritation or rash occurs: Get medical help.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

2.3. Other hazards

Adverse physicochemical, human health and environmental effects

: May cause an allergic skin reaction, Harmful to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Isoparaffin	-	25.0 - 50.0	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
2-tert-butylcyclohexanol acetate	CAS-No.: 88-41-5	0.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal)
Ethyl vanillin	CAS-No.: 121-32-4	0.0 - 5.0	Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 STOT RE Not classified Aquatic Acute 3, H402
diethyl malonate	CAS-No.: 105-53-3	0.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Aquatic Acute Not classified
allyl hexanoate	CAS-No.: 123-68-2	0.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Aquatic Acute 1, H400

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5/31/2026 (Revision date) ZA - en 2/9

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

No additional information available

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material.

Other information

: Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling

: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.

Hygiene measures

: Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

Avoid release to the environment.

5/31/2026 (Revision date) ZA - en 3/9

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

8.3. Individual protection measures, such as personal protective equipment (PPE)

Hand protection : Protective gloves
Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):







8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Liquid.

Colour No data available Odour characteristic. Odour threshold No data available рΗ No data available pH solution No data available Relative evaporation rate (butylacetate=1) : No data available Relative evaporation rate (ether=1) : No data available : Not applicable Melting point Freezing point : No data available Boiling point : No data available

Flash point : ≈ 71.2 °C

Auto-ignition temperature : No data available Decomposition temperature : No data available Flammability : Non flammable. Vapour pressure : No data available Vapour pressure at 50°C : No data available Relative vapour density at 20°C : No data available Relative density : No data available Relative density of saturated gas/air mixture : No data available Density : No data available Relative gas density : No data available Solubility : Insoluble in water. Partition coefficient n-octanol/water (Log Pow) : No data available Partition coefficient n-octanol/water (Log Kow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidising properties : No data available **Explosive limits** : No data available No data available Lower explosion limit

9.2. Other information

Upper explosion limit

No additional information available

No data available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

Germ cell mutagenicity

Reproductive toxicity

STOT-single exposure

Carcinogenicity

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

2-tert-butylcyclohexanol acetate (88	3-41-5)	
LD50 oral rat	4600 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal)	
Ethyl vanillin (121-32-4)		
LD50 oral rat	> 3160 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
LD50 dermal rat	> 2000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)	
diethyl malonate (105-53-3)	<u> </u>	
LD50 oral rat	15794 mg/kg bodyweight Animal: rat, Guideline: other:as described by Smyth et al., Ame Ind. Hyg. Assoc. J. 23, 95-107	
allyl hexanoate (123-68-2)		
LD50 oral rat	218 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	820 mg/kg bodyweight (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal, 14 day(s))	
LC50 Inhalation - Rat	0.297 mg/l (1 - 8 h, Rat, Male, Experimental value, Inhalation (vapours), 10 day(s))	
Skin corrosion/irritation	: Not classified.	
Serious eye damage/irritation	: Not classified.	
Respiratory or skin sensitisation	: May cause an allergic skin reaction.	

5/31/2026 (Revision date) ZA - en 5/9

: Not classified

: Not classified

: Not classified

: Not classified.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Isoparaffin		
STOT-single exposure	Not available	
STOT-repeated exposure :	Not classified	
Ethyl vanillin (121-32-4)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat	
Aspiration hazard :	Not classified	
Isoparaffin		
Animal studies and expert judgment for classification	False	
2-tert-butylcyclohexanol acetate (88-41-5)		
Animal studies and expert judgment for classification	False	
Ethyl vanillin (121-32-4)		
Animal studies and expert judgment for classification	False	
diethyl malonate (105-53-3)		
Animal studies and expert judgment for classification	False	
allyl hexanoate (123-68-2)		
Animal studies and expert judgment for classification	False	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified.

(acute)

Hazardous to the aquatic environment, long-term : Harmful to aquatic life with long lasting effects.

(chronic)

(chronic)	
2-tert-butylcyclohexanol acetate (88-41-5)	
BCF - Fish [1]	384.6 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ethyl vanillin (121-32-4)	
LC50 - Fish [1]	87.6 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	36.79 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	120 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
LOEC (chronic)	10 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
NOEC (chronic)	5.9 mg/l Test organisms (species): Daphnia magna Duration: '21 d'
diethyl malonate (105-53-3)	
EC50 - Crustacea [1]	202.3 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	508.2 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	> 800 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

allyl hexanoate (123-68-2)	
LC50 - Fish [1]	0.117 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 - Crustacea [1]	2 mg/l (EU Method C.2, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
ErC50 algae	4.6 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
BCF - Fish [1]	59.2 – 102.3 l/kg (BCFBAF v3.01, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.191 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)

12.2. Persistence and degradability

Fresh 24 clip on - Vanilla		
Persistence and degradability	No additional information available	
2-tert-butylcyclohexanol acetate (88-41-5)		
Persistence and degradability	Not readily biodegradable in water.	
allyl hexanoate (123-68-2)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	2.05 g O₂/g substance	

12.3. Bioaccumulative potential

Fresh 24 clip on - Vanilla	
Bioaccumulative potential	No additional information available
2-tert-butylcyclohexanol acetate (88-41-5)	
BCF - Fish [1]	384.6 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).
allyl hexanoate (123-68-2)	
BCF - Fish [1]	59.2 – 102.3 l/kg (BCFBAF v3.01, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	3.191 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).

12.4. Mobility in soil

Fresh 24 clip on - Vanilla		
Mobility in soil	No additional information available	
2-tert-butylcyclohexanol acetate (88-41-5)		
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Low potential for adsorption in soil.	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

allyl hexanoate (123-68-2)	
Partition coefficient n-octanol/water (Log Pow)	3.191 (Experimental value, OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method, 20 °C)
Ecology - soil	No (test)data on mobility of the substance available.

12.5. Other adverse effects

Ozone : Not classified

Other adverse effects : No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	IATA
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available	ı	1

14.6. Special precautions for user

SANS

No data available

IMDG

No data available

IATA

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 16: Other information

 Issue date
 : 31/05/2024

 Revision date
 : 31/05/2026

Full text of H-s	Full text of H-statements	
H227	Combustible liquid	
H301	Toxic if swallowed	
H303	May be harmful if swallowed	
H304	May be fatal if swallowed and enters airways	
H311	Toxic in contact with skin	
H313	May be harmful in contact with skin	
H315	Causes skin irritation	
H317	May cause an allergic skin reaction	
H319	Causes serious eye irritation	
H336	May cause drowsiness or dizziness	
H400	Very toxic to aquatic life	
H401	Toxic to aquatic life	
H402	Harmful to aquatic life	
H411	Toxic to aquatic life with long lasting effects	
H412	Harmful to aquatic life with long lasting effects	

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.