

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 5/31/2024 Revision date: 5/31/2026 Version: 1.1

SECTION 1: Identification

1.1. Product identifier	
Product form Trade name Type of product Product code Product group	 Mixture Heart air freshener - Forest fantasy Air freshener SH1098 Trade product
1.2. Relevant identified uses of the sub	stance or mixture and uses advised against
Use of the substance/mixture Recommended uses and restrictions	: Air care products
1.3. Supplier's details	
Manufacturer Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark	
1.4. Emergency telephone number	
Emergency number	: (011) 421 7111
SECTION 2: Hazards identification 2.1. Classification of the substance or a Classification according to the United Nation	
Flammable solids, Category 1	H228
Skin corrosion/irritation, Category 3	H316
Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Acute	
Hazardous to the aquatic environment – Chroni Full text of H-statements: see section 16	ic Hazard, Category 2 H411
2.2. Label elements	
Labelling according to the United Nations G	HS
Hazard pictograms (GHS ZA)	
Signal word (GHS-ZA)	: Danger
Hazardous ingredients	: alpha-hexylcinnamaldehyde
Hazard statements (GHS ZA)	 H228 - Flammable solid H316 - Causes mild skin irritation H317 - May cause an allergic skin reaction H411 - Toxic to aquatic life with long lasting effects
Precautionary statements (GHS ZA)	 P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240 - Ground and bond container and receiving equipment.

- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof equipment.
- P261 Avoid breathing vapours.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

	 P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear eye protection, protective clothing, protective gloves. P302+P352 - IF ON SKIN: Wash with plenty of soap and water P321 - Specific treatment (see on this label). P332+P317 - If skin irritation occurs: Get medical help. P333+P317 - If skin irritation or rash occurs: Get medical help. P362+P364 - Take off contaminated clothing and wash it before reuse. P370+P378 - In case of fire: Use sand, foam, carbon dioxide (CO2) to extinguish. P391 - Collect spillage. P501 - Dispose of contents and container to a hazardous or special waste collection point.
2.3. Other hazards	
Adverse physicochemical, human health and	: Flammable solid, Causes mild skin irritation, May cause an allergic skin reaction, Toxic to

environmental effects

Flammable solid, Causes mild skin irritation, May cause an allergic skin reaction, Toxic to aquatic life, Toxic to aquatic life with long lasting effects.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Dipropylene glycol methyl ether	CAS-No.: 34590-94-8	60.0 - 70.0	Flam. Liq. 4, H227 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) STOT RE Not classified Aquatic Acute Not classified
Gardenol	CAS-No.: 93-92-5	5.0 - 10.0	Flam. Liq. 4, H227 Acute Tox. 4 (Oral), H302 STOT RE Not classified Aquatic Acute 3, H402
alpha-hexylcinnamaldehyde	CAS-No.: 101-86-0	5.0 - 10.0	Flam. Liq. Not classified Acute Tox. 5 (Oral), H303 Acute Tox. 5 (Dermal), H313 Acute Tox. 3 (Inhalation:vapour), H331 Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
dipentene	CAS-No.: 138-86-3 EC Index-No.: 601-029-00-7	5.0 - 10.0	Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Aquatic Acute 1, H400 Aquatic Chronic 1, H410

SECTION 4: First aid measures

4.1. Description of mat and medsures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	 Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.

4.1 Description of first aid measure

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

4.2. Most important symptoms and effects, both acute and dela	
	and a set
	aven

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subst	tance or mixture
Fire hazard Hazardous decomposition products in case of fire	Flammable solid.Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release meas	sures
6.1. Personal precautions, protective eq	uipment and emergency procedures
No additional information available	
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
6.2. Environmental precautions	
Avoid release to the environment.	
6.3. Methods and material for containme	ent and cleaning up

	: Collect spillage.
Methods for cleaning up	: Mechanically recover the product. Notify authorities if product enters sewers or public waters.
Other information	: Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Ŭ	Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Avoid contact with skin and eyes. Wear personal protective equipment. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
7.2. Conditions for safe storage, including any	y incompatibilities
Technical measures :	Ground/bond container and receiving equipment.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Storage conditions

: Keep cool. Protect from sunlight. Keep away from ignition sources. Store in a well-ventilated place.

SECTION 8: Exposure controls/p	ersonal protection
8.1. Control parameters	
No additional information available	
8.2. Appropriate engineering control	S
Appropriate engineering controls Environmental exposure controls	Ensure good ventilation of the work station.Avoid release to the environment.
8.3. Individual protection measures,	such as personal protective equipment (PPE)
Hand protection Eye protection Skin and body protection	Protective glovesSafety glassesWear suitable protective clothing
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Solid
Appearance	: Solid.
Colour	: Green.
Odour	: characteristic.
Odour threshold	: No data available
pН	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: ≈ 81 °C
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Flammable solid.
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
Lower explosion limit	: No data available
Upper explosion limit	: No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable solid.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	h
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	: Not classified : Not classified : Not classified
Dipropylene glycol methyl ether (34590-94	-8)
LD50 oral rat	> 5000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity)
LD50 dermal rat	> 19020 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
LD50 dermal rabbit	9510 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
alpha-hexylcinnamaldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg (Equivalent or similar to OECD 401, Rat, Male, Experimental value of similar product, Isomer, Oral, 14 day(s))
LD50 dermal rabbit	> 3000 mg/kg (Equivalent or similar to OECD 402, 24 h, Rabbit, Female, Experimental value of similar product, Isomer, Dermal, 7 day(s))
LC50 Inhalation - Rat	> 5 mg/l (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value of similar product, Isomer, Inhalation (aerosol), 14 day(s))
dipentene (138-86-3)	
LD50 oral rat	5300 mg/kg (Rat, Literature study, Oral)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

dipentene (138-86-3)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)	
Gardenol (93-92-5)	·	
LD50 oral	2000 – 2000 mg/kg bodyweight Animal: mouse, Guideline: OECD Guideline 401 (Acute Oral Toxicity)	
Skin corrosion/irritation :	Causes mild skin irritation.	
Serious eye damage/irritation :	Not classified	
Respiratory or skin sensitisation :	May cause an allergic skin reaction.	
Germ cell mutagenicity :	Not classified	
Carcinogenicity :	Not classified	
Reproductive toxicity :	Not classified	
STOT-single exposure :	Not classified	
STOT-repeated exposure :	Not classified	
Dipropylene glycol methyl ether (34590-94-8)		
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: other:KANPOGYO No.700, YAKUHATSU No. 1039.61, and KIKYKU No. 1014.	
NOAEL (dermal, rat/rabbit, 90 days)	2850 mg/kg bodyweight Animal: rabbit, Animal sex: male, Guideline: OECD Guideline 411 (Subchronic Dermal Toxicity: 90-Day Study)	
Gardenol (93-92-5)	·	
NOAEL (oral, rat, 90 days)	150 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 408 (Repeated Dose 90- Day Oral Toxicity in Rodents)	
Aspiration hazard :	Not classified	
Heart air freshener - Forest fantasy		
Viscosity, kinematic	Not applicable	
Dipropylene glycol methyl ether (34590-94-8)	·	
Animal studies and expert judgment for classification	False	
alpha-hexylcinnamaldehyde (101-86-0)	·	
Animal studies and expert judgment for classification	False	
dipentene (138-86-3)		
Animal studies and expert judgment for classification	False	
Gardenol (93-92-5)		
Animal studies and expert judgment for classification	False	

SECTION 12: Ecological information

40.4		1 A A A A A A A A A A A A A A A A A A A
7 7 7	VIC	141/
12.1		ILV

Ecology - general Hazardous to the aquatic environment, short–term (acute)	: Toxic to aquatic life. Toxic to aquatic life with long lasting effects.: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Dipropylene glycol methyl ether (34590-94-	8)
LC50 - Fish [1]	> 1000 mg/l Test organisms (species): Poecilia reticulata
EC50 - Other aquatic organisms [1]	1930 mg/l Test organisms (species): other aquatic crustacea:Acartia tonsa
EC50 72h - Algae [1]	 > 969 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Dipropylene glycol methyl ether (34590-94-8	3)
LOEC (chronic)	0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
NOEC (chronic)	≥ 0.5 mg/l Test organisms (species): Daphnia magna Duration: '22 d'
alpha-hexylcinnamaldehyde (101-86-0)	
LC50 - Fish [1]	1.7 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)
EC50 - Crustacea [1]	0.36 – 0.59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Flow-through system, Fresh water, Experimental value of similar product, Other isomer)
ErC50 algae	> 0.065 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value of similar product, Other isomer)
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
dipentene (138-86-3)	
LC50 - Fish [1]	0.545 mg/l (ECOSAR, 96 h, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	4.38 – 4.57 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Gardenol (93-92-5)	
LC50 - Fish [1]	21 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	18.32 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
EC50 - Crustacea [1]	37 mg/l Test organisms (species): Daphnia magna
EC50 72h - Algae [1]	110 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)
EC50 72h - Algae [2]	92 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus)

12.2. Persistence and degradability

Heart air freshener - Forest fantasy	
No additional information available	
alpha-hexylcinnamaldehyde (101-86-0)	
Readily biodegradable in water.	
dipentene (138-86-3)	
Not readily biodegradable in water.	
3.29 g O ₂ /g substance	

12.3. Bioaccumulative potential

Heart air freshener - Forest fantasy	
Bioaccumulative potential	No additional information available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

alpha-hexylcinnamaldehyde (101-86-0)	
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)
Bioaccumulative potential	High potential for bioaccumulation (Log Kow > 5).
dipentene (138-86-3)	
Partition coefficient n-octanol/water (Log Pow)	4.38 – 4.57 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log$ Kow ≤ 5).

12.4. Mobility in soil

Heart air freshener - Forest fantasy		
Mobility in soil	No additional information available	
alpha-hexylcinnamaldehyde (101-86-0)		
Partition coefficient n-octanol/water (Log Pow)	5.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 24 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, Other isomer)	
Ecology - soil	Low potential for mobility in soil.	
dipentene (138-86-3)		
Surface tension	26 mN/m (20 °C)	
Partition coefficient n-octanol/water (Log Pow)	4.38 – 4.57 (Experimental value)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, QSAR)	
Ecology - soil	Low potential for mobility in soil.	

12.5. Other adverse effects

: Not cla

Other adverse effects

Ozone

Not classifiedNo additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods

: Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with SANS / IMDG / IATA

SANS	IMDG	ΙΑΤΑ
14.1. UN number		
1325	1325	1325

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SANS	IMDG	ΙΑΤΑ
14.2. Proper Shipping Name		
FLAMMABLE SOLID, ORGANIC, N.O.S.	FLAMMABLE SOLID, ORGANIC, N.O.S.	Flammable solid, organic, n.o.s.
14.3. Transport hazard class(es)		
4.1	4.1	4.1
14.4. Packing group		
Ш	Ш	II
14.5. Environmental hazards		
Dangerous for the environment : Yes	Dangerous for the environment : Yes Marine pollutant : Yes	Dangerous for the environment : Yes
No supplementary information available		
14.6. Special precautions for user		
SANS		
Special provisions (SANS)	: 274	
Limited quantities (SANS)	: 1 kg	
Limited quantities (SANS)	: 1 kg	
Packagings, large packagings and IBCs Packing	: P002, IBC08	
instructions (SANS)	. F002, 16006	
Packagings, large packagings and IBCs Special packing instructions (SANS)	: B2, B4	
Portable tank and bulk containers instructions (SANS)	: T3	
Portable tank and bulk container special provisions (SANS)	: TP33	
IMDG		
Special provisions (IMDG)	: 274, 915	
Limited quantities (IMDG)		
	: 1 kg	
Excepted quantities (IMDG)	: E2	
Packing instructions (IMDG)	: P002	
BC packing instructions (IMDG)	: IBC08	
IBC special provisions (IMDG)	: B21, B4	
Tank instructions (IMDG)	: T3	
Tank special provisions (IMDG)	: TP33	
EmS-No. (Fire)	: F-A - FIRE SCHEDULE Alfa - GENERAL F	IRE SCHEDULE
EmS-No. (Spillage)	 F-A - FIRE SCHEDULE AIR - GENERAL FIRE SCHEDULE S-G - SPILLAGE SCHEDULE Golf - FLAMMABLE SOLIDS AND SELF-REACTIVE SUBSTANCES 	
Stowage category (IMDG)	: B	
	50	
PCA Excepted quantities (IATA)	: E2	
PCA Limited quantities (IATA)	: Y441	
PCA limited quantity max net quantity (IATA)	: 5kg	
PCA packing instructions (IATA)	: 445	
PCA max net quantity (IATA)	: 15kg	
CAO packing instructions (IATA)	: 448	
CAO max net quantity (IATA)	: 50kg	
Special provisions (IATA)	: A3, A803	
ERG code (IATA)	: 3L	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information

Issue date Revision date : 31/05/2024 : 31/05/2026

Full text of H-statements	
H226	Flammable liquid and vapour
H227	Combustible liquid
H228	Flammable solid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H313	May be harmful in contact with skin
H316	Causes mild skin irritation
H317	May cause an allergic skin reaction
H331	Toxic if inhaled
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.