

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 5/30/2024 Revision date: 5/30/2026 Version: 1.0

SECTION 1. Identification	<b>SECTIO</b>	N 1: Ide	ntification
---------------------------	---------------	----------	-------------

1.1. Product identifier	
Product form Trade name Type of product Product code Product group	<ul> <li>Mixture</li> <li>Sheen car air freshener - Cherry</li> <li>Air freshener</li> <li>SH1186</li> <li>Trade product</li> </ul>
1.2. Relevant identified uses of the subs	stance or mixture and uses advised against
Use of the substance/mixture Recommended uses and restrictions	: : Air care products
1.3. Supplier's details	
Manufacturer Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark 1.4. Emergency telephone number	
Emergency number	: (011) 421 7111
2.1. Classification of the substance or n Classification according to the United Nation Skin corrosion/irritation, Category 2 Hazardous to the aquatic environment – Acute H Hazardous to the aquatic environment – Chronic Full text of H-statements: see section 16	ns GHS H315 Hazard Not classified
2.2. Label elements	
Labelling according to the United Nations GH Hazard pictograms (GHS ZA)	is .
Signal word (GHS-ZA) Hazard statements (GHS ZA) Precautionary statements (GHS ZA)	<ul> <li>Warning</li> <li>H315 - Causes skin irritation</li> <li>P264 - Wash hands, forearms and face thoroughly after handling.</li> <li>P280 - Wear eye protection, protective clothing, protective gloves.</li> <li>P302+P352 - IF ON SKIN: Wash with plenty of soap and water</li> <li>P321 - Specific treatment (see on this label).</li> <li>P332+P317 - If skin irritation occurs: Get medical help.</li> <li>P362+P364 - Take off contaminated clothing and wash it before reuse.</li> </ul>
2.3. Other hazards	
Adverse physicochemical, human health and	: Causes skin irritation.

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

#### Not applicable

## 3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
Ethyl butyrate	-	5.0 - 10.0	Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335
ethyl methylphenylglycidate	CAS-No.: 77-83-8	5.0 - 10.0	Flam. Liq. Not classified Acute Tox. Not classified (Oral) Acute Tox. 5 (Dermal), H313 Aquatic Acute 2, H401
Cis-hex-3-en-1-ol	CAS-No.: 928-96-1	5.0 - 10.0	Flam. Liq. 3, H226 Acute Tox. 5 (Oral), H303 STOT RE Not classified Aquatic Acute 3, H402
Ethyl isovalerate	-	1.0 - 5.0	Flam. Liq. 2, H225 Acute Tox. 5 (Oral), H303 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2-ethyl-3-hydroxy-4-pyrone	CAS-No.: 4940-11-8	1.0 - 5.0	Acute Tox. 4 (Oral), H302 Acute Tox. 5 (Dermal), H313 Aquatic Acute 1, H400
Methyl cinnamate	CAS-No.: 103-26-4	1.0 - 5.0	Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal) Aquatic Acute 2, H401

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention.
First-aid measures after eye contact	: Rinse eyes with water as a precaution.
First-aid measures after ingestion	: Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects after skin contact	: Irritation.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media	: Water spray. Dry powder. Foam.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
No additional information available			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. Avoid contact with skin and eyes.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for contain	nment and cleaning up		
Mathematic fear also and a sum	A destruction of the second destruction of the second second		

Methods for cleaning up	:	Mechanically recover the product.
Other information	:	Dispose of materials or solid residues at an authorized site.

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Avoid contact with skin and eyes. Wear personal protective equipment.
Hygiene measures	: Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Storage conditions

: Store in a well-ventilated place. Keep cool.

### SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available	
8.2. Appropriate engineering controls	
Appropriate engineering controls Environmental exposure controls	<ul><li>Ensure good ventilation of the work station.</li><li>Avoid release to the environment.</li></ul>
8.3. Individual protection measures, such as	s personal protective equipment (PPE)
Hand protection Eye protection	<ul><li>Protective gloves</li><li>Safety glasses</li></ul>

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### Skin and body protection

Respiratory protection

- : Wear suitable protective clothing
- : In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



### 8.4. Exposure limit values for the other components

No additional information available

### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and o	chemical properties
Physical state	: Solid
Appearance	: Solid.
Colour	: Yellow.
Odour	: Cherry.
Odour threshold	: No data available
рH	: No data available
pH solution	: No data available
Relative evaporation rate (butylacetate=1)	: No data available
Relative evaporation rate (ether=1)	: No data available
Melting point	: No data available
Freezing point	: Not applicable
Boiling point	: No data available
Flash point	: Not applicable
Auto-ignition temperature	: Not applicable
Decomposition temperature	: No data available
Flammability	: Non flammable.
Vapour pressure	: No data available
Vapour pressure at 50°C	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: No data available
Relative density of saturated gas/air mixture	: No data available
Density	: No data available
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Partition coefficient n-octanol/water (Log Kow)	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: No data available
Explosive properties	: No data available
Oxidising properties	: No data available
Explosive limits	: Not applicable
Lower explosion limit	: No data available
Upper explosion limit	: No data available

### 9.2. Other information

No additional information available

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

10.2. Chemical stability	
Stable under normal conditions.	

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

**10.5. Incompatible materials** 

No additional information available

**10.6. Hazardous decomposition products** 

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inform	nation
11.1. Information on toxicological effe	ects
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	<ul> <li>Not classified</li> <li>Not classified</li> <li>Not classified</li> </ul>
Ethyl butyrate	
LD50 oral rat	≈ 2000 mg/kg
LD50 dermal rat	≈ 2000 mg/kg
ethyl methylphenylglycidate (77-83-8	)
LD50 oral rat	5470 mg/kg (Rat, Male / female, Weight of evidence, Oral, 14 day(s))
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal)
Cis-hex-3-en-1-ol (928-96-1)	
LD50 oral rat	4615 mg/kg bodyweight Animal: rat, 95% CL: 4045 - 6265
LC50 Inhalation - Rat	> 4.99 mg/l air Animal: rat, Guideline: OECD Guideline 436 (Acute Inhalation Toxicity: Acute Toxic Class Method)
Ethyl isovalerate	
LD50 oral rat	≈ 5000 mg/kg
LD50 dermal rat	≈ 2000 mg/kg
2-ethyl-3-hydroxy-4-pyrone (4940-11-	8)
LD50 oral	≈ 1220 mg/kg
LD50 dermal rabbit	≈ 5000 mg/kg
Methyl cinnamate (103-26-4)	
LD50 oral rat	2610 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) 95% CL: 2000 - 3410
LD50 dermal rabbit	> 5000 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity)
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: Not classified
Germ cell mutagenicity	: Not classified

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Carcinogenicity :	Not classified
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
Ethyl butyrate	
STOT-single exposure	Not available
STOT-repeated exposure :	Not classified
Cis-hex-3-en-1-ol (928-96-1)	
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard :	Not classified
Sheen car air freshener - Cherry	
Viscosity, kinematic	Not applicable
Ethyl butyrate	·
Animal studies and expert judgment for classification	False
ethyl methylphenylglycidate (77-83-8)	
Animal studies and expert judgment for classification	False
Cis-hex-3-en-1-ol (928-96-1)	
Animal studies and expert judgment for classification	False
Ethyl isovalerate	
Animal studies and expert judgment for classification	False
2-ethyl-3-hydroxy-4-pyrone (4940-11-8)	
Animal studies and expert judgment for classification	False
Methyl cinnamate (103-26-4)	
Animal studies and expert judgment for classification	False

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general :	The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term : (acute)	Not classified.
Hazardous to the aquatic environment, long-term : (chronic)	Not classified.
Ethyl butyrate	
Partition coefficient n-octanol/water (Log Kow)	≈ 1.346
Partition coefficient n-octanol/water (Log Pow)	≈ 2.433
ethyl methylphenylglycidate (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Semi-static system, Fresh water, Experimental value, GLP)
ErC50 algae	36 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, GLP)
Partition coefficient n-octanol/water (Log Pow)	2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

ethyl methylphenylglycidate (77-83-8)		
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.34 – 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on So and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)	
Cis-hex-3-en-1-ol (928-96-1)	·	
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)	
EC50 - Crustacea [1]	> 100 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	> 76 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	
Ethyl isovalerate	·	
LC50 - Fish [1]	≈ 8.45 mg/l	
EC50 72h - Algae [1]	75.3 – 124 mg/l	
2-ethyl-3-hydroxy-4-pyrone (4940-11-8)		
LC50 - Fish [1]	≈ 85 mg/l	
EC50 - Other aquatic organisms [1]	≈ 27 mg/l	
EC50 72h - Algae [1]	≈ 7.2 mg/l	
Methyl cinnamate (103-26-4)		
LC50 - Fish [1]	2.76 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)	
EC50 - Crustacea [1]	24 mg/l Test organisms (species): Daphnia magna	
EC50 72h - Algae [1]	7.6 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)	

### 12.2. Persistence and degradability

Sheen car air freshener - Cherry	
Persistence and degradability	No additional information available
ethyl methylphenylglycidate (77-83-8)	
Persistence and degradability	Not readily biodegradable in water.

### **12.3. Bioaccumulative potential**

Sheen car air freshener - Cherry		
Bioaccumulative potential	No additional information available	
Ethyl butyrate		
Partition coefficient n-octanol/water (Log Pow)	≈ 2.433	
Partition coefficient n-octanol/water (Log Kow)	≈ 1.346	
ethyl methylphenylglycidate (77-83-8)		
Partition coefficient n-octanol/water (Log Pow)	2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.34 – 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

## Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

12.4. Mobility in soil		
Sheen car air freshener - Cherry		
Mobility in soil	No additional information available	
Ethyl butyrate		
Partition coefficient n-octanol/water (Log Pow)	≈ 2.433	
Partition coefficient n-octanol/water (Log Kow)	≈ 1.346	
ethyl methylphenylglycidate (77-83-8)		
Surface tension	59 mN/m (19.6 °C, 0.79 g/l, OECD 115: Surface Tension of Aqueous Solutions)	
Partition coefficient n-octanol/water (Log Pow)	2.4 – 2.8 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.34 – 2.74 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)	
Ecology - soil	Low potential for adsorption in soil.	

Ozone Other adverse effects Not classifiedNo additional information available

SECTION 13: Disposal consideration	ons
13.1. Disposal methods	
Waste treatment methods	: Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

SANS	IMDG	ΙΑΤΑ
14.1. UN number		
Not regulated for transport		
14.2. Proper Shipping Name		
Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)		·
Not applicable	Not applicable	Not applicable
Not applicable	Not applicable	Not applicable
14.4. Packing group		·
Not applicable	Not applicable	Not applicable
14.5. Environmental hazards		·
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available	I	1

### 14.6. Special precautions for user

SANS No data available

### Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

#### IMDG

No data available

#### ΙΑΤΑ

No data available

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

#### Not applicable

#### **SECTION 15: Regulatory information**

15.1. Safety, health, and environmental national regulations specific for the product

#### No additional information available

SECTION 16: Other information	
Issue date Revision date	: 30/05/2024 : 30/05/2026
Full text of H-st	atements
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H302	Harmful if swallowed
H303	May be harmful if swallowed
H312	Harmful in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H411	Toxic to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.