

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010 Issue date: 5/31/2024 Revision date: 5/31/2026 Version: 1.1

SECTION 1: Identification

1.1. Product identifier

Product form Trade name Type of product Product code Product group

: Mixture : Fresh 24 - Ocean drive

- : Vehicle interior air freshener
- : SH399
- : Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

:

Use of the substance/mixture

1.3. Supplier's details

Manufacturer

Shield Chemicals (Pty) Ltd 9 London Rd Apex P.O. Box 1939 1501 Benoni – Gauteng South Africa T (011) 421 7111 Contact: Jayson Clark


1.4. Emergency telephone number

Emergency number

: (011) 421 7111

SECTION 2: Hazards identification			
2.1. Classification of the substance or mixture			
Classification according to the United Nations GHS			
Skin corrosion/irritation, Category 2	H315		
Skin sensitisation, Category 1	H317		
Reproductive toxicity, Category 2	H361		
Hazardous to the aquatic environment – Acute Hazard Not classified			
Full text of H-statements: see section 16			
2.2. Label elements			

Labelling according to the United Nations GHS



Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

	 P321 - Specific treatment (see on this label). P332+P317 - If skin irritation occurs: Get medical help. P333+P317 - If skin irritation or rash occurs: Get medical help. P362+P364 - Take off contaminated clothing and wash it before reuse. P405 - Store locked up. P501 - Dispose of contents and container to a hazardous or special waste collection point. 	
2.3. Other hazards		
Adverse physicochemical, human health and environmental effects	: Suspected of damaging fertility or the unborn child, Harmful if swallowed, Causes skin irritation, May cause an allergic skin reaction, Toxic to aquatic life with long lasting effects.	

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to the United Nations GHS
dipentene	CAS-No.: 138-86-3 EC Index-No.: 601-029-00-7	10.0 - 20.0	Flam. Liq. 3, H226 Acute Tox. Not classified (Oral) Acute Tox. Not classified (Dermal) Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-tert-butylcyclohexanol acetate	CAS-No.: 88-41-5	10.0 - 20.0	Flam. Liq. 4, H227 Acute Tox. 5 (Oral), H303 Acute Tox. Not classified (Dermal)
Ethyl 2-methyl-1,3,dioxolane-2-acetate	CAS-No.: 6413-10-1	5.0 - 10.0	Flam. Liq. 4, H227 STOT RE Not classified Aquatic Acute Not classified
Allyl heptanoate	CAS-No.: 142-19-8	1.0 - 5.0	Flam. Liq. 4, H227 Acute Tox. 3 (Dermal), H311 Aquatic Acute 1, H400
a,a-dimethylphenenthyl acetate	-	1.0 - 5.0	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Aquatic Acute Not classified Aquatic Chronic 3, H412

SECTION 4: First aid measures

4.1. Description of first aid measures			
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Call a poison center or a doctor if you feel unwell.		
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing.		
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye contact	: Rinse eyes with water as a precaution.		
First-aid measures after ingestion	: Rinse mouth. Call a poison center or a doctor if you feel unwell.		
4.2. Most important symptoms and effects, both acute and delayed			
Symptoms/effects after skin contact	: Irritation. May cause an allergic skin reaction.		
4.3. Indication of any immediate medical attention and special treatment needed			

Treat symptomatically.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 5: Firefighting measures			
5.1. Extinguishing media			
Suitable extinguishing media	: Water spray. Dry powder. Foam. Carbon dioxide.		
5.2. Special hazards arising from the substance or mixture			
Fire hazard Hazardous decomposition products in case of fire	Combustible liquid.Toxic fumes may be released.		
5.3. Advice for firefighters			
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.		

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective ed	quipment and emergency procedures		
No additional information available			
6.1.1. For non-emergency personnel			
Emergency procedures	: Ventilate spillage area. No open flames, no sparks, and no smoking. Avoid contact with skin and eyes. Avoid breathing vapours.		
6.1.2. For emergency responders			
Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".		
6.2. Environmental precautions			
Avoid release to the environment.			
6.3. Methods and material for containm	ent and cleaning up		
For containment Methods for cleaning up	 Collect spillage. Take up liquid spill into absorbent material. Notify authorities if product enters sewers or 		

Other information	public waters.Dispose of materials or solid residues at an authorized site.	
SECTION 7: Handling and storage		
7.1. Precautions for safe handling		
Precautions for safe handling	: Ensure good ventilation of the work station. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Wear personal protective equipment	

	open names and other ignition sources. No smoking, wear personal protective equipment.
	Obtain special instructions before use. Do not handle until all safety precautions have been
	read and understood. Avoid contact with skin and eyes. Avoid breathing vapours.
Hygiene measures	: Wash contaminated clothing before reuse. Contaminated work clothing should not be
	allowed out of the workplace. Do not eat, drink or smoke when using this product. Always
	wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities			
Storage conditions	: Store in a well-ventilated place. Keep cool. Store locked up.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No additional information available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

Appropriate engineering controls	: Ensure good ventilation of the work station.		
Environmental exposure controls	: Avoid release to the environment.		
8.3. Individual protection measures, such as personal protective equipment (PPE)			
I lead a vete etica	: Protective gloves		
Hand protection	. Frotective gloves		
Eye protection	: Safety glasses		
Eye protection	C C		
•	: Safety glasses		



8.4. Exposure limit values for the other components

No additional information available

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Appearance Colour Odour Odour Odour threshold pH pH solution Relative evaporation rate (butylacetate=1) Relative evaporation rate (ether=1) Melting point Freezing point Freezing point Boiling point Flash point Auto-ignition temperature Decomposition temperature Decomposition temperature Flammability Vapour pressure Vapour pressure Vapour pressure at 50°C Relative density Relative density of saturated gas/air mixture Density Relative gas density Solubility Partition coefficient n-octanol/water (Log Pow) Partition coefficient n-octanol/water (Log Kow) Viscosity, kinematic Viscosity, dynamic	:	Liquid Liquid. No data available characteristic. No data available No data available No data available No data available No data available No data available No data available ≈ 74 °C closed cup No data available No data available Insoluble in water. No data available No data available No data available No data available
Partition coefficient n-octanol/water (Log Pow)	:	No data available
	:	
Viscosity, dynamic	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Explosive limits	:	No data available
Lower explosion limit	:	No data available
Upper explosion limit	:	No data available

9.2. Other information

No additional information available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

Avoid contact with hot surfaces. Heat. No flames, no sparks. Eliminate all sources of ignition.

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity (oral) Acute toxicity (dermal) Acute toxicity (inhalation)	 Not classified Not classified Not classified
dipentene (138-86-3)	
LD50 oral rat	5300 mg/kg (Rat, Literature study, Oral)
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)
2-tert-butylcyclohexanol acetate (88-41-5)	· · · · · · · · · · · · · · · · · · ·
LD50 oral rat	4600 mg/kg (Equivalent or similar to OECD 401, Rat, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Equivalent or similar to OECD 402, Rabbit, Experimental value, Dermal)
Allyl heptanoate (142-19-8)	·
LD50 dermal rabbit	810 mg/kg bodyweight Animal: rabbit, Guideline: OECD Guideline 402 (Acute Dermal Toxicity), 95% CL: 440 - 1180
Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Not classified
Respiratory or skin sensitisation	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified
Carcinogenicity	: Not classified
Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified
STOT-repeated exposure	: Not classified
Ethyl 2-methyl-1,3,dioxolane-2-acetate (641	3-10-1)
NOAEL (oral, rat, 90 days)	1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test)
Aspiration hazard	: Not classified
dipentene (138-86-3)	
Animal studies and expert judgment for classification	False

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

2-tert-butylcyclohexanol acetate (88-41-5)		
Animal studies and expert judgment for classification	False	
Ethyl 2-methyl-1,3,dioxolane-2-acetate (6413-10-1)		
Animal studies and expert judgment for classification False		
Allyl heptanoate (142-19-8)		
Allyl heptanoate (142-19-8)		
Allyl heptanoate (142-19-8) Animal studies and expert judgment for classification	False	
	False	

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general	:
Hazardous to the aquatic environment, short-term	:
(acute)	
Hazardous to the aquatic environment, long-term	:
(chronic)	

Toxic to aquatic life with long lasting effects. Not classified.

(acute) Hazardous to the aquatic environment, long–term (chronic)	Not classified
dipentene (138-86-3)	
LC50 - Fish [1]	0.545 mg/l (ECOSAR, 96 h, Pisces, QSAR)
Partition coefficient n-octanol/water (Log Pow)	4.38 – 4.57 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, QSAR)
2-tert-butylcyclohexanol acetate (88-41-5)	
BCF - Fish [1]	384.6 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ethyl 2-methyl-1,3,dioxolane-2-acetate (6413	-10-1)
LC50 - Fish [1]	> 100 mg/l Test organisms (species): Oncorhynchus mykiss (previous name: Salmo gairdneri)
EC50 72h - Algae [1]	 > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum)
Allyl heptanoate (142-19-8)	
LC50 - Fish [1]	0.117 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio)
LC50 - Fish [2]	0.13 mg/l Test organisms (species): Pimephales promelas
EC50 - Crustacea [1]	0.89 mg/l Test organisms (species): Daphnia magna
a,a-dimethylphenenthyl acetate	
LC50 - Fish [1]	≈ 8.901 mg/l
12.2. Persistence and degradability	
Fresh 24 - Ocean drive	

Fresh 24 - Ocean drive	
Persistence and degradability	No additional information available

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

dipentene (138-86-3)		
Persistence and degradability	Not readily biodegradable in water.	
ThOD	3.29 g O ₂ /g substance	
2-tert-butylcyclohexanol acetate (88-41-5)		
Persistence and degradability	Not readily biodegradable in water.	
12.3. Bioaccumulative potential		
Fresh 24 - Ocean drive		
Bioaccumulative potential	No additional information available	
dipentene (138-86-3)		
Partition coefficient n-octanol/water (Log Pow)	4.38 – 4.57 (Experimental value)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, QSAR)	
Bioaccumulative potential	Potential for bioaccumulation ($4 \le Log \text{ Kow} \le 5$).	
2-tert-butylcyclohexanol acetate (88-41-5)		
BCF - Fish [1]	384.6 l/kg (BCFBAF v3.01, Calculated value, Fresh weight)	
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
12.4. Mobility in soil		

Fresh 24 - Ocean drive	
Mobility in soil	No additional information available
dipentene (138-86-3)	
Surface tension	26 mN/m (20 °C)
Partition coefficient n-octanol/water (Log Pow)	4.38 – 4.57 (Experimental value)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	3.049 – 3.801 (log Koc, SRC PCKOCWIN v2.0, QSAR)
Ecology - soil	Low potential for mobility in soil.
2-tert-butylcyclohexanol acetate (88-41-5)	
Partition coefficient n-octanol/water (Log Pow)	4.42 (Estimated value, KOWWIN)
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	2.644 (log Koc, SRC PCKOCWIN v2.0, Calculated value)
Ecology - soil	Low potential for adsorption in soil.

12.5. Other adverse effects

Ozone

: Not classified

Other adverse effects

: No additional information available

SECTION 13: Disposal considerations 13.1. Disposal methods Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

SECTION 14: Transport information		
In accordance with SANS / IMDG / IATA		
SANS	IMDG	ΙΑΤΑ
14.1. UN number		
3082	3082	3082
14.2. Proper Shipping Name		
ENVIRONMENTALLY HAZARDOUS	ENVIRONMENTALLY HAZARDOUS	Environmentally hazardous substance, liquid,
SUBSTANCE, LIQUID, N.O.S.	SUBSTANCE, LIQUID, N.O.S.	n.o.s.
14.3. Transport hazard class(es)		
9	9	9
9	e	9
14.4. Packing group		1
111	III	111
14.5. Environmental hazards		·
Dangerous for the environment : No	Dangerous for the environment : No Marine pollutant : No	Dangerous for the environment : No
No supplementary information available		
14.6. Special precautions for user		
SANS		
Special provisions (SANS)	: 179, 274, 331, 335	
Limited quantities (SANS)	: 5 L	
Limited quantities (SANS)	: 5L	
Packagings, large packagings and IBCs Packing	: P001, IBC03, LP01	
Packagings, large packagings and IBCs Special packing instructions (SANS)	: PP1	
Portable tank and bulk containers instructions	: T4	
(SANS)	. 14	
Portable tank and bulk container special provisions (SANS)		
Portable tank and bulk container special provisions (SANS)		
Portable tank and bulk container special provisions (SANS) IMDG Special provisions (IMDG)	 : TP1, TP29 : 274, 335, 969 	
Portable tank and bulk container special provisions (SANS) IMDG Special provisions (IMDG) Limited quantities (IMDG)	: TP1, TP29 : 274, 335, 969 : 5 L	
Portable tank and bulk container special provisions (SANS) MDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 	
Portable tank and bulk container special provisions (SANS) MDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 	
Portable tank and bulk container special provisions SANS) MDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 	
Portable tank and bulk container special provisions SANS) MDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) BC packing instructions (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 	
Portable tank and bulk container special provisions SANS) MDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) BC packing instructions (IMDG) Fank instructions (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 	
Portable tank and bulk container special provisions SANS) MDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) BC packing instructions (IMDG) Fank instructions (IMDG) Fank special provisions (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 	
Portable tank and bulk container special provisions (SANS) MDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) BC packing instructions (IMDG) Tank instructions (IMDG) Fank special provisions (IMDG) EmS-No. (Fire)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 F-A - FIRE SCHEDULE Alfa - GENERAL 	
Portable tank and bulk container special provisions (SANS) IMDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 	
Portable tank and bulk container special provisions (SANS) IMDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 F-A - FIRE SCHEDULE Alfa - GENERAL S-F - SPILLAGE SCHEDULE Foxtrot - W. 	
Portable tank and bulk container special provisions (SANS) IMDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 F-A - FIRE SCHEDULE Alfa - GENERAL S-F - SPILLAGE SCHEDULE Foxtrot - W. 	
Portable tank and bulk container special provisions (SANS) IMDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) IATA PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 F-A - FIRE SCHEDULE Alfa - GENERAL S-F - SPILLAGE SCHEDULE Foxtrot - W. A 	
Portable tank and bulk container special provisions (SANS) IMDG Special provisions (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) Special packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Tank special provisions (IMDG) EmS-No. (Fire) EmS-No. (Spillage) Stowage category (IMDG) IATA PCA Excepted quantities (IATA) PCA Limited quantity max net quantity (IATA)	 : TP1, TP29 : 274, 335, 969 : 5 L : E1 : LP01, P001 : PP1 : IBC03 : T4 : TP2, TP29 : F-A - FIRE SCHEDULE Alfa - GENERAL : S-F - SPILLAGE SCHEDULE Foxtrot - W. : A 	
Portable tank and bulk container special provisions	 TP1, TP29 274, 335, 969 5 L E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 F-A - FIRE SCHEDULE Alfa - GENERAL S-F - SPILLAGE SCHEDULE Foxtrot - W. A 	

Safety Data Sheet

according to SANS 10234:2019 and SANS 11014:2010

CAO packing instructions (IATA)	: 964
CAO max net quantity (IATA)	: 450L
Special provisions (IATA)	: A97, A158, A197
ERG code (IATA)	: 9L

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health, and environmental national regulations specific for the product

No additional information available

SECTION 16: Other information	
Issue date Revision date	: 31/05/2024 : 31/05/2026
Full text of H-	statements
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H303	May be harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H313	May be harmful in contact with skin

H311	Toxic in contact with skin
H313	May be harmful in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H331	Toxic if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Safety Data Sheet (SDS), South Africa

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.